

Insulation R-values per Inch

Material	R-value/in
Fiberglass (batt)	3.1
Fiberglass blown (pink or yellow)	2.2
Fiberglass blown (white/Insulsafe)	2.8
Mineral Wool (batt or blown)	3.1
Cellulose blown (attic)	3.7
Polystyrene Board	4.0
Polyurethane Board	6.0
Rockwool (batt)	3.2
Rockwool (blown)	2.8
Open Cell Spray Foam	3.5
Closed Cell Spray Foam	6.2